

ENUMERATION OF CRASSULACEAE

Collected in China

by

Bullock, Carles, Ducloux, Forrest (second expedition), Hancock, Henry, Hosie, Hugh, Maire, Monbeig, Morse, Pratt, Wilson, with

a comparative table, including the species of Delavay and Forrest's first expedition.

BY

RAYMOND HAMET,

Paris.

I. COLLECTION OF PROF. T. L. BULLOCK.

Sedum drymarioides, Hance, var. *genuinum*, Raymond Hamet. Kewkiang, Lushan Mountains. Flowers white. 20th June 1892. Bullock, n. 176. Herb. Kew.

II. COLLECTION OF W. R. CARLES, C.M.G.

Sedum drymarioides, Hance, var. *genuinum*, Raymond Hamet. Kewkiang Hills. Flowers white. 20th June 1892. Carles. Herb. Edinburgh.

Sedum drymarioides, Hance, var. *stellariaefolium*, Raymond Hamet. Peking Hills. Flowers yellow. 15th August 1885. Carles. Herb. Edinburgh.

III. COLLECTION OF ABBÉ DUCLOUX.

Sedum Leblancae, Raymond Hamet. China, Yunnan. Ducloux, n. 577. Herb. Kew.

Sedum multicaule, Wallich. China, Yunnanfu. Ducloux, n. 176. Herb. Kew.

Sedum yunnanense, Franchet, var. *valerianoides*, Raymond Hamet. China, Yunnanfu. Ducloux, n. 451♂. Herb. Kew.

[Notes, R.B.G., Edin., No. XXXVII, Nov. 1913.]

IV. COLLECTION OF G. FORREST.

SECOND EXPLORATION, 1910.

Sedum Beauverdi, Raymond Hamet.

Yunnan. G. Forrest. No. 7205.

Sedum bracteatum, Diels.

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Shady situations in mixed forests. Alt. 11,000 ft. Plant of 6–10 inches. Flowers orange yellow. September 1910. G. Forrest. No. 6736.

Yunnan. G. Forrest. No. 6998.

Sedum bupleuroides, Wallich.

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 15' N$. Open mountain pasture. Alt. 12,000 ft. Plant of 4–8 inches. Flowers deep redly green. June 1910. G. Forrest. No. 5690.

Sedum Chauveaudi, Raymond Hamet.

Yunnan, 1910. G. Forrest. No. 7200.

Sedum fastigiatum, Hooker f. et Thomson.

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Ledges of limestone cliffs. Alt. 11,000–12,000 ft. Plant of 6–12 inches. Flowers pale lemon yellow. June 1910. G. Forrest. No. 6029.

Sedum Forresti, Raymond Hamet.

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. On limestone drift. Alt. 14,000–15,000 ft. Plant of 1–2 inches. Flowers bright brassy yellow. July 1910. G. Forrest. No. 6117.

Sedum indicum, Raymond Hamet, var. **genuinum**, Raymond Hamet.

Yunnan, dry situations amongst rocks on the divide between the Hocking and Lichiang Valleys. Lat. $26^{\circ} 40' N$. Alt. 8000 ft. Plant of 3–6 inches. Flowers greenish-purple. In seed in November 1910. G. Forrest. No. 7351.

Sedum linearifolium, Royle, var. **Balfouri**, Raymond Hamet.

—*Sedum trifidum*, Wallich, var. *Balfouri*, Raymond Hamet.

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 25' N$. On moist, shady rocks. Alt. 11,000–13,000 ft. Plant of 2–4 inches. Flowers greenish white. August 1910. G. Forrest. No. 6400.

***Sedum multicaule*, Wallich.**

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Stony pasture. Alt. 10,000 ft. Plant of 3-5 inches. Flowers bright yellow. September 1910. G. Forrest. No. 6542.

Yunnan. G. Forrest. No. 6839.

Yunnan. G. Forrest. No. 6919

***Sedum Oreades*, Raymond Hamet.**

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 35' N$. Moist, stony, alpine pasture. Alt. 14,000-15,000 ft. Plant of $1\frac{1}{2}$ -2 $\frac{1}{2}$ inches. Flowers bright golden yellow. August 1910. G. Forrest. No. 6511.

Yunnan. G. Forrest. No. 7212.

***Sedum platysepalum*, Franchet.**

Yunnan, south end of the Lichiang Range. Lat. $27^{\circ} 10' N$. Dry, stony pasture. Alt. 9000 ft. Plant of 2-4 inches. Flowers golden yellow. October 1910. G. Forrest. No. 7393.

***Sedum primuloides*, Franchet.**

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 20' N$. Crevices of limestone cliffs. Alt. 12,000 ft. Plant of $\frac{1}{2}$ inch. June 1910. G. Forrest. No. 5792.

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 35' N$. On humus-covered boulders. Alt. 12,000-13,000 ft. Plant of 1-2 inches. Flowers white. September 1910. G. Forrest. No. 6705.

***Sedum roseum*, Scop., var.**

Yunnan, 1910. G. Forrest. No. 6938.

***Sedum roseum*, Scop., var.**

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Crevices and ledges of limestone cliffs. Alt. 11,000-12,000 ft. Plant of 6-8 inches. Flowers green. July 1910. G. Forrest. No. 6065.

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 40' N$. On cliffs and humus-covered boulders. Alt. 11,000 ft. Plant of 9-15 inches. Flowers yellowish-green. July 1910. G. Forrest. No. 6135.

***Sedum rotundatum*, Hemsley.**

Yunnan, eastern flank of the Lichiang Range. Lat. $27^{\circ} 30' N$. Stony, alpine pasture. Alt. 13,000-14,000 ft. Tufted plant of 12,000-18,000 inches. Flowers deep rose. September 1910. G. Forrest. No. 6622.

***Sedum scabridum*, Franchet.**

Yunnan, western flank of the Lichiang Range. Lat. $27^{\circ} 30' N$.

Crevices of limestone cliffs. Alt. 12,000 ft. Tufted plant of 1-3 inches. Flowers yellowish red. June 1910. G. Forrest. No. 6022.

Yunnan, eastern flank of the Lichiang Range. Lat. 27° 30' N. Crevices of limestone cliffs and boulders. Alt. 12,000 ft. Plant of 4-6 inches. In seed in June 1910. G. Forrest. No. 5965.

***Sedum tenuifolium*, Franchet.**

Yunnan, eastern flank of the Lichiang Range. Lat. 27° 30' N. On rocks in pine forests. Alt. 11,000 ft. Plant of 2-5 inches. Flowers brassy yellow. August 1910. G. Forrest. No. 6626.

***Sedum trullipetalum*, Hooker f. et Thomson.**

Yunnan, eastern flank of the Lichiang Range. Lat. 27° 25' N. Crevices of boulders and ledges of cliffs. Alt. 9000-10,000 ft. Plant of 2-4 inches. Flowers brassy yellow. October 1910. G. Forrest. No. 7392.

***Sedum yunnanense*, Franchet, var. *Forresti*, Raymond Hamet.**

Yunnan, eastern flank of Lichiang Range. Lat. 27° 25' N. Ledges of cliffs and on humus-covered boulders. Alt. 11,000-13,000 ft. Plant of 9-16 inches. Flowers ruddy green. Foliage purplish-red. June 1910. G. Forrest. No. 5963 ♀ ♂.

***Sedum yunnanense*, Franchet, var. *valerianoides*, Raymond Hamet.**

Yunnan, eastern flank of the Lichiang Range. Lat. 27° 20' N. Shady situations in mixed forests. Alt. 10,-11,000 ft. Plant of 1-2 ft. Flowers green. June 1910. G. Forrest. No. 5947 ♂.

Yunnan, eastern flank of the Lichiang Range. Lat. 27° 20' N. Ledges of shady cliffs in pine forests. Alt. 10,000-11,000 ft. Plant of 1-2 ft. Flowers green. July 1910. G. Forrest. No. 6121 ♂.

ERRATA

of

Raymond Hamet, Enumeration and Description of Species of *Sedum* in *Plantae Chineses Forrestianae*; plants discovered and collected by George Forrest during his first exploration of Yunnan and Eastern Tibet in the years 1904, 1905, and 1906.—Notes Roy. Bot. Gard. Edin. vol. v.

P. 119, for *Sedum trifidum*, Wallich, var. *Balfouri*, Raymond Hamet, read *Sedum linearifolium* Royle, var. *Balfouri*, Raymond Hamet.

For *Sedum trifidum*, Wallich, var. *Forresti*, Raymond Hamet, read *Sedum linearifolium*, Royle, var. *Forresti*, Raymond Hamet.

P. 120, for *Sedum Alfredi*, Hance, read *Sedum bracteatum*, Diels.

V. COLLECTION OF W. HANCOCK.

Sedum multicaule, Wallich.

Yunnan, Mengtz, mountain rocks. 6000 ft. 15th September 1895—Hancock, n. 196. Herb. Kew.

VI. COLLECTION OF PROF. A. HENRY.

Sedum Barbeyi, Raymond Hamet.

China, Prov. Hupeh—Henry, n. 7002. Herb. Mus. Paris (type) and Bot. Gard. St. Petersburg.

Sedum bracteatum, Diels.

China, Prov. Hupeh, Tang—Henry, n. 5946A and 5946C. Herb. Kew.

China, Prov. Hupeh, N. Patung—Henry, n. 5946B. Herb. Kew, British Museum, and Bot. Gard. St. Petersburg.

China, Prov. Hupeh, Chienduh—Henry, n. 5946. Herb. Kew and Bot. Gard. St. Petersburg.

Central China, Prov. Hupeh—Henry, n. 4888. Herb. Edinburgh.

China, Patung District, Ichang—Henry, n. 4888. Herb. Bot. Gard. St. Petersburg.

Sedum Dielsi, Raymond Hamet.

China, Ichang, on mountains, 2500 ft.—Henry, n. 961. Herb. Kew.

Sedum drymarioides, Hance, var. ***stellariaefolium***, Raymond Hamet.

China, Prov. Hupeh—Henry, n. 6240. Herb. Mus. Paris, Calcutta, Bot. Gard. St. Petersburg.

China, Prov. Hupeh—Henry, n. 7395. Herb. Mus. Paris, Bot. Gard. St. Petersburg.

Central China, Prov. Hupeh—Henry, n. 4908. Herb. Berlin, Barbey-Boissier, Edinburgh.

China, Patung District, Ichang—Henry, n. 4908. Herb. Bot. Gard. St. Petersburg.

Sedum elatinoides, Franchet.

Central China, Prov. Hupeh—Henry, n. 5825. Herb. Berlin, Mus. Paris, and Bot. Gard. St. Petersburg.

Central China, Prov. Hupeh—Henry, n. 4730. Herb. Edinburgh and Barbey-Boissier.

China, Prov. Hupeh—Henry, n. 6025. Herb. Bot. Gard. St. Petersburg.

China, Ichang and immediate neighbourhood—Henry, n. 3455. Herb. Berlin.

China, Ichang and immediate neighbourhood—Henry, n. 3996. Herb. Bot. Gard. St. Petersburg.

China, Patung District, Ichang—Henry. Herb. Bot. Gard. St. Petersburg.

***Sedum filipes*, Hemsley, var. *genuinum*, Raymond Hamet.**

China, Prov. Szechwan (N. Wushan). Pale purple flowers—Henry, n. 7025. Herb. Kew, Mus. Paris, and Bot. Gard. St. Petersburg.

China, Prov. Hupeh—Henry, n. 6989A. Herb. Mus. Paris and Bot. Gard. St. Petersburg.

China, Prov. Hupeh, Ichang and immediate neighbourhood—Henry. Herb. Mus. Paris.

China, Prov. Hupeh, Ichang and immediate neighbourhood—Henry, n. 3230A. Herb. Edinburgh and Mus. Paris.

China, Prov. Hupeh, Ichang and immediate neighbourhood—Henry, n. 3230. Herb. Bot. Gard. St. Petersburg.

China, Prov. Hupeh—Henry, n. 7593. Herb. Bot. Gard. St. Petersburg.

China, Prov. Hupeh, Hsingshan—Henry, n. 6989A. Herb. Kew.

China, Prov. Hupeh, Tang, 7000 ft.—Henry, n. 6756. Herb. Kew.

***Sedum filipes*, Hemsley, var. *major*, Hemsley.**

China, Prov. Hupeh—Henry, n. 6989. Herb. Bot. Gard. St. Petersburg.

China, Prov. Hupeh—Henry, n. 2667. Herb. Berlin.

China, Prov. Szechwan (S. Wushan)—Henry, n. 4989. Herb. Mus. Paris.

China, Prov. Szechwan (S. Wushan)—Henry, n. 6989B. Herb. Mus. Paris.

***Sedum indicum*, Raymond Hamet, var. *genuinum*, Raymond Hamet.**

Yunnan, Mengtz, on rocks, 4500–5000 ft. Flowers green, tipped with a little red—Henry, n. 9151A. Herb. Edinburgh, Kew, Berlin, and St. Petersburg.

Yunnan, Mengtz, S. Mts., 5000 ft., on rocks—Henry, n. 9151B. Herb. Kew.

China, Ichang and immediate neighbourhood—Henry, n. 2733. Herb. Kew.

Sedum multicaule, Wallich.

Mengtz, Mts. to E., 6000 ft., on rock. Yellow flowers—Henry, n. 9157. Herb. Kew.

Mengtz, Mts., 6000 ft., on rock. Yellow flowers—Henry, n. 10,317. Herb. Kew, Edinburgh, Berlin, and Bot. Gard. St. Petersburg.

Puerh, on cliffs, 6000 ft. Yellow flowers—Henry, n. 13,197. Herb. Kew and Herb. Bot. Gard. St. Petersburg.

Sedum Rosthornianum, Diels.

China, Prov. Szechwan (S. Wushan)—Henry, n. 5727. Herb. Bot. Gard. St. Petersburg.

Sedum yunnanense, Franchet, var. **Henryi**, Raymond Hamet.

Prov. Szechwan (S. Wushan)—Henry, n. 5411C ♂. Herb. Paris, Herb. Museum Vienna, and Herb. Bot. Gard. St. Petersburg.

Prov. Szechwan (S. Wushan)—Henry, n. 5411B ♀. Herb. Paris and Herb. Bot. Gard. St. Petersburg.

Prov. Hupeh—Henry, n. 5411 ♂ in Herb. Paris and Herb. Bot. Gard. St. Petersburg; ♀ in Herb. Berlin; ♂ and ♀ in Herb. Edinburgh.

Patung District, Ichang—Henry, n. 4794 ♀ Herb. Bot. Gard. St. Petersburg.

Sedum yunnanense, Franchet, var. **valerianoides**, Raymond Hamet.

China, Yunnan, Mengtz, N. Mts., 6000 ft.—Henry, n. 10,204 ♂ in Herb. Kew., Berlin, and Edinburgh; ♀ in Herb. Bot. Gard. St. Petersburg.

VII. COLLECTION OF CONSUL-GENERAL SIR ALEXANDER HOSIE.

Sedum Chauveaudi, Raymond Hamet.

Between Tachienlu and Chentu. October 1904—Hosie. Herb. Kew.

Sedum indicum, Raymond Hamet, var. **genuinum**, Raymond Hamet.

Between Tachienlu and Chentu—Hosie. Herb. Kew.

Between Batang and Tachienlu. September–October 1904—Hosie. Herb. Kew.

Sedum Mossi, Raymond Hamet.

Between Batang and Tachienlu. September–October 1904—Hosie. Herb. Kew. Type!

VIII. COLLECTION OF REV. FATHER HUGH.

Sedum bracteatum, Diels.

N. Central China, Mt. Mo-mi-san. 1899—Rev. Fr. Hugh.
Herb. British Museum.

Sedum dumulosum, Franchet.

N. Central China, Ngo-san (Lao-y-san). September 1899—
Hugh. Herb. British Museum.

N. Central China, Mt. Miao-Wang-san. July 1899—Hugh.
Herb. British Museum.

IX. COLLECTION OF PÈRE E. E. MAIRE.

Sedum Beauverdi, Raymond Hamet.

Yunnan, Tong Tchouan, montagnes, 2700 m., fleurs jaunes—
Maire, n. 2868. Herb. Diels.

Sedum Bergeri, Raymond Hamet.

Yunnan, environs de Yun-nan-sen, rochers des pics, octobre—
Maire, n. 294, 295, and 298. Herb. Edinburgh.

Sedum Celiae, Raymond Hamet.

Yunnan, Tong Tchouan, 2600 m.—Maire, n. 6735. Herb.
Diels. Echantillon authentique !

Sedum Chauveaudi, Raymond Hamet.

Yunnan, Tong Tchouan—Maire, n. 6736. Herb. Diels.

Sedum drymarioides, Hance, var. **stellariaefolium**, Raymond Hamet.

Yunnan, Tong Tchouan 2600 m.—Maire, n. 3020. Herb. Diels.

Yunnan, Tong Tchouan, juillet 1910—Maire, n. 6716 *bis*.
série B. Herb. Bonati.

Sedum indicum, Raymond Hamet, var. **genuinum**, Raymond Hamet.

Yunnan, rochers des rives du fleuve Polen Mong Kon,
450 m.—Maire, n. 3145. Herb. Diels.

Yunnan, environs de Yun-nan-sen ; toitures, roches basses,
décembre—Maire, n. 296. Herb. Edinburgh.

Yunnan, environs de Yun-nan-sen, fleurs jaunes—Maire.
n. 2371. Herb. Edinburgh.

Yunnan, environs de Yun-nan-sen—Maire, n. 976. Herb. Edinburgh.

Yunnan, Tong Tchouan, 2500 m., fleurs rouges—Maire, n. 2889. Herb. Diels.

Sedum indicum, Raymond Hamet, var. **yunnanense**, Raymond Hamet.

Yunnan, Tong Tchouan, sur les murs de la ville, fleurs blanches—Maire n. 2890. Herb. Diels.

Sedum leucocarpum, Franchet.

Yunnan, Tong Tchouan, rochers des montagnes, 2800 m., fleurs jaunes—Maire, n. 2891. Herb. Diels.

Yunnan, Tong Tchouan, 2700 m., octobre —Maire, n. 3072. Herb. Diels.

Sedum Liciae, Raymond Hamet.

Yunnan, environs de Yun-nan-sen—Maire, n. 2052 et 2276. Herb. Edinburgh.

Sedum multicaule, Wallich.

Yunnan, Tong Tchouan—Maire, n. 2892 *bis*. Herb. Diels.

Yunnan, Plaine de Tong Tchouan, 2500 m., juillet 1910—Maire, n. 6716, série B. Herb. Bonati.

Yunnan, environs de Yun-nan-sen, rochers des pics, octobre —Maire, n. 297. Herb. Edinburgh.

Yunnan, environs de Yun-nan-sen—Maire, n. 529, 977 et 2292. Herb. Edinburgh.

Sedum yunnanense, Franchet, var. **valerianoides**, Raymond Hamet.

Yunnan, Tong Tchouan, 2800 m.—Maire, n. 6290 et 6312, ♂. Herb. Diels.

X. COLLECTION OF PÈRE C. MONBEIG.

Sedum multicaule, Wallich.

Yunnan, Tsekou—Monbeig. Herb. Kew.

XI. COLLECTION OF H. B. MORSE.

Sedum multicaule, Wallich.

Lungchow in Kwangsi—Flower reddish—Morse, n. 177. Herb. Kew.

XII. COLLECTION OF A. E. PRATT.

Sedum verticillatum, Raymond Hamet.

West Szechuen and Tibetan Frontier, chiefly near Tachienlu, 9000–13,500 ft.—Pratt, n. 483. Herb. Edinburgh, Mus. Paris, Berlin, Calcutta, Bot. Gard. St. Petersburg.

Sedum yunnanense, Franchet, var. ***valerianoides***, Raymond Hamet.

West Szechuen and Tibetan Frontier, chiefly near Tachienlu, 9000–13,500 ft.—Pratt, n. 468 ♀. Herb. Kew and Calcutta.

West Szechuen and Tibetan Frontier, chiefly near Tachienlu, 9000–13,500 ft.—Pratt, n. 713 ♀. Herb. Kew and Calcutta.

XIII. COLLECTION OF E. H. WILSON.

Sedum Aliciae, Raymond Hamet, var. ***genuinum***, Raymond Hamet.

Western China, stone walls, etc., 3800–7500 ft. Flowers pink. August 1903—Wilson, n. 3627. Herb. Mus. Paris (Type of the species and of the variety), British Museum and Hamburg.

Sedum bracteatum, Diels.

Central China, W. Hupeh. July 1901—Wilson, n. 2500. Herb. Bot. Gard. St. Petersburg.

Sedum Costantini, Raymond Hamet.

Western China, Grasslands, Ta-tien-lu. October 1904—Wilson, n. 3634. Herb. Mus. Paris (type), British Museum, and Hamburg.

Sedum Daigremontianum, Raymond Hamet.

Western China, rocks. 7000 ft. Flowers white—Wilson, n. 3632. Herb. Mus. Paris (type), British Museum, and Hamburg.

Sedum drymarioides, Hance, var. ***stellariaefolium***, Raymond Hamet.

Western China, base rocks and stony places, 12,000–14,000 ft. Flowers yellow. October 1904—Wilson, n. 3628. Herb. British Museum.

Central China, W. Hupeh. August 1901—Wilson, n. 2457. Herb. Berlin.

***Sedum elatinoides*, Franchet.**

Central China, W. Hupeh. June 1900—Wilson, n. 1078. Herb. Berlin.

***Sedum filipes*, Hemsley, var. *genuinum*, Raymond Hamet.**

Central China, W. Hupeh. June 1901—Wilson, n. 2571. Herb. Edinburgh, Hamburg, and Bot. Gard. St. Petersburg.

***Sedum filipes*, Hemsley, var. *major*, Hemsley.**

Western China, Mountain Wu, rocks. Flowers white. October 1903—Wilson, n. 3618. Herb. British Museum, Hamburg, and Mus. Paris.

***Sedum indicum*, Raymond Hamet, var. *genuinum*, Raymond Hamet.**

Western China. July 1903—Wilson, n. 3641. Herb. British Museum.

Western China, S. Wushan—Wilson, n. 2728. Herb. Kew.

***Sedum Rendlei*, Raymond Hamet.**

Western China, base rocks, 12,500 ft. Flowers pinkish. October 1904—Wilson, n. 3619. Herb. British Museum (type).

***Sedum Schoenlandi*, Raymond Hamet.**

Western China, arid places, 8000-9000 ft. Flowers pink. August 1903—Wilson, n. 3622. Herb. Mus. Paris (type), British Museum.

Western China, 1903-1904—Wilson. Herb. Hamburg.

***Sedum Susannae*, Raymond Hamet.**

Western China, stony places, 10,000-12,500 ft. Flowers yellow. August 1903—Wilson, n. 3636. Herb. Mus. Paris (type), British Museum, and Hamburg.

Western China, roadside, 4000-8500 ft. August 1903—Wilson, n. 3635. Herb. British Museum.

***Sedum verticillatum*, Raymond Hamet.**

Western China, shady rocks, 12,000-13,000 ft. July 1903—Wilson, n. 3630. Herb. British Museum.

***Sedum yunnanense*, Franchet, var. *Henryi*, Raymond Hamet.**

Western China, Mountain Wu, wet rocks. Flowers yellow. July 1903—Wilson, n. 3616 ♀. Herb. British Museum.

Western China, S. Wushan. August 1900. Flowers yellow
—Wilson, n. 650 ♂. Herb. Berlin.

Central China, W. Hupeh. June 1900—Wilson, n. 1143 ♀ in
Herb. Mus. Paris and Bot. Gard. St. Petersburg; ♂ and ♀ in Herb.
Edinburgh.

Sedum yunnanense, Franchet, var. **valerianoides**, Raymond
Hamet.

Western China, Mountain Wu, 8000 ft. July 1903—Wilson,
3624 ♂. Herb. Mus. Paris, British Museum, and Hamburg.

COMPARATIVE TABLE.

[illegible]

	Bullock.	Carles.	Delavayi.	Ducoux.	Forrest. I.	Forrest. II.	Hancock.	Henry.	Hosie.	Hugh.	Maire.	Monbeig.	Morse.	Pratt.	Wilson.
<i>Sedum leucocarpum</i> , Franchet			*								*				
<i>Sedum linearifolium</i> , Royle					*	*									
var. <i>Balfouri</i> , Raymond Hamet															
<i>Sedum linearifolium</i> , Royle															
var. <i>Forresti</i> , Raymond Hamet			*		*										
<i>Sedum Liciae</i> , Raymond Hamet											*				
<i>Sedum Margaritae</i> , Raymond Hamet			*												
<i>Sedum Mossi</i> , Raymond Hamet									*						
<i>Sedum multicaule</i> , Wallich				*	*	*	*	*			*	*	*		
<i>Sedum nobile</i> , Franchet		*			*										
<i>Sedum obtusipetalum</i> , Franchet (— <i>S. mosoynense</i> , Franchet)			*		*										
<i>Sedum Oreades</i> , Raymond Hamet					*	*									
<i>Sedum platysepalum</i> , Franchet			*			*									
<i>Sedum primuloides</i> , Franchet			*		*	*									
<i>Sedum Rendlei</i> , Raymond Hamet															*
<i>Sedum roseum</i> , Scop, var. plur.					*	*									
<i>Sedum Rosthornianum</i> , Diels								*							
<i>Sedum rotundatum</i> , Hemsley			*		*	*									
<i>Sedum scabridum</i> , Franchet					*	*									
<i>Sedum Schoenlandi</i> , Raymond Hamet															*
<i>Sedum Susannae</i> , Raymond Hamet															*
<i>Sedum tenuifolium</i> , Franchet			*			*									
<i>Sedum trullipetalum</i> , Hooker, f. et Thomson			*		*	*									
<i>Sedum verticillatum</i> , Raymond Hamet														*	*
<i>Sedum Woronowi</i> , Raymond Hamet			*												
<i>Sedum yunnanense</i> , Franchet, var. <i>Forresti</i> , Raymond Hamet					*	*									
<i>Sedum yunnanense</i> , Franchet, var. <i>Henryi</i> , Raymond Hamet								*							*
<i>Sedum yunnanense</i> , Franchet, var. <i>valerianoides</i> , Raymond Hamet			*	*	*	*		*			*		*	*	*